

INDEX MAPS.

T. 18 N, R. 8 W. 2nd Mer.

	224		223		223		223		223		222	
226	6	247	5	241	4	237	3	234	2	230	1	222
	247		247		241		237		233		229	
226	7	246	8	241	9	237	10	233	11	229	12	222
	246		246		240		236		233		229	
225	18	245	17	240	16	236	15	232	14	228	13	221
	245		244		240		236		232		228	
225	19	244	20	239	21	235	22	232	23	228	24	221
	244		243		239		235		231		227	
225	30	243	29	239	28	235	27	231	26	227	25	221
	243		242		238		234		231		227	
224	31	242	32	238	33	234	34	230	35	226	36	220
	220		220		219		219		219		219	

T. 19 N, R. 8 W. 2nd Mer.

	256		255		255		255		255		254
257	6	282	5	275	4	271	3	267	2	262	1 254
	281		281		275		271		266		262
257	7	280	8	275	9	270	10	266	11	261	12 254
	280		280		274		270		265		261
257	18	279	17	274	16	270	15	265	14	260	13 253
	279		278		273		269		265		260
257	19	278	20	273	21	269	22	264	23	259	24 253
	278		277		273		269		264		259
256	30	277	29	272	28	268	27	263	26	259	25 253
	276		276		272		267		263		258
256	31	276	32	271	33	267	34	262	35	258	36 253
	252		252		252		257		251		251

The figures on the lines refer to the page.

Township N. 19 North, Range N. 8 West T. Mer. Ind. a.

Township Lines.

Chs. Lk. South Boundary. Var. 7.00' E.
West on the S. Boundary of Sec. 30

20.00 at Brook 15 lks. wide course NW

40.00 set q. sec. post from which

a S. Oak 9 in. dia. bears S 16 E 23 lks. dist. 3

a Buckeye 8 " " " N 13 W 8 " "

72.00 at Creek 40 lks. wide course SW

80.00 set post cor. of sec. 35 & 36 from which

a Buckeye 9 in. dia. bears S 42 W 4 lks. dist. 3

a Do 12 " " " N 85 E 19 " "

Land 2^d rate, part wet, middling for farming,
timber Beech, Sugar, Oak, Hickory, Ash.

West 1/2 mile good farming land

West on the S. Boundary of Sec. 35

13.00 at Creek 40 lks. wide course NW

20.00 same Creek " SW

40.00 set q. sec. post from which

a W. Oak 40 in. dia. bears N 20 E 16 lks. dist. 3

a Sugar 9 " " " S 58 W 12 " "

65.00 same Creek course NW

80.00 set post cor. of sec. 34 & 35 from which

a Sugar 9 in. dia. bears N 21 E 5 lks. dist. 3

a Do 9 " " " S 79 W 57 " "

Land 2^d rate, middling for farming, timber
Oak, Beech, Sugar, Poplar &c.

West on the S. Boundary of Sec. 34

17.00 same Creek course SW.

40.00 set q. sec. post from which

a Beech 12 in. dia. bears S 51 E 48 lks. dist. 3

a Do 12 " " " N 75 W 1 " "

80.00 set post cor. of sec. 33 & 34 from which

a W. Ash 8 in. dia. bears N 59 E 14 lks. dist. 3

a Beech 18 " " " S 61 W 31 " "

T. 19 N., R. 8 W. 2^d. Mer. Ind.^a
 Chs. 10th

Land similar, part wet & cold.

West on the S. Boundary of Sec. 33

40.00 set g. sec. post from which

a Beech 18 in. dia. bears S40 E 17 Ws. dist. 8

a Mulberry 10 " " " N80 W 30 " "

80.00 set post cor. of sec. 32 & 33 from which

a Hickory 18 in. dia. bears N16 W 10 Ws. dist. 8

a Do 18 " " " S21 E 26 " "

Land 2^d rate, middling good for farming,
 timber same

West on the S. Boundary of Sec. 32

40.00 set g. sec. post from which

a W. Oak 30 in. dia. bears S39 E 12 Ws. dist. 8

a W. Ash 9 " " " N11 W 23 " "

67.00 a Brook 8 Ws. wide course NW. & stone coal
 bank

80.00 set post cor. of sec. 31 & 32 from which

a W. Oak 30 in. dia. bears N50 W 25 Ws. dist. 8

a Do 27 " " " S38 E 20 " "

Land similar, part rather broken.

West on the S. Boundary of Sec. 31

September 27, 1819

18.00 a Creek 100 Ws. wide course SW

35.00 same Creek " NW

40.00 set g. sec. post from which

a Sugar 30 in. dia. bears N77 E 13 Ws. dist. 8

a Do 14 " " " S28 W 25 " "

53.00 same Creek course SW

75.00 a Brook 8 Ws. wide course SE

82.00 Intersect W. Boundary 517 S. of temp. post -

set post at intersection cor. of T. 18 & 19 N., R. 8 & 9

W. from which

a Beech 11 in. dia. bears S72 E 22 Ws. dist. 8

T. 19 N., R. 8 W. 2^d. Mer. Ind. a.
Chr. Spr.

a Sugar 10 in. diameter S 39 W 19 W. dist.
Land mostly 1st rate, West 1/2 broken.

East Boundary. Var. 7th 00' E.
North on the E. Boundary of Sec. 36

September 29, 1819

20.00 at Brook 30 W. wide course W.

40.00 at gr. sec. port from which

a Sugar Elm. diameter South 23 W. dist. 8

an Elm 20 " " " N 64 E 35 " "

80.00 at port cor. of sec. 25 & 36 from which

an Elm 10 in. diameter S 18 W 19 W. dist. 8

at W. Oak 12 " " " S 43 E 23 " "

Land level, part rather wet, middling good
for farming.

North on the E. Boundary of Sec. 25

40.00 at gr. sec. port from which

a Sugar 9 in. diameter S 29 E 5 W. dist. 8

a Hickory 12 " " " N 32 W 33 " "

80.00 at port cor. of sec. 24 & 25 from which

a Beech 9 in. diameter S 61 E 13 W. dist. 8

a Do 6 " " " S 80 W 12 " "

Land similar.

North on the E. Boundary of Sec. 24

40.00 at gr. sec. port from which

a W. Walnut 24 in. diameter S 25 E 19 W. dist.

an Elm 30 " " " N 58 W 24 " "

80.00 at port cor. of sec. 13 & 24 from which

a B. Ash 24 in. diameter S 42 E 30 W. dist. 8

a Sugar 8 " " " N 44 W 20 " "

Land similar, part very rich & part
wet & swampy.

North on the E. Boundary of Sec. 13

T. 19 N., R. 8 W. 2^d Mer. Ind.^a
 Chas. Gr.

40.00 set of sec. post from which
 a Sugar 12 in. dia. bears S 22 E 27 1/2 Ws. dist. 8
 a Do 12 " " " N 18 E 13 " "
 75.00 a creek 50 Ws. wide course W
 80.00 set post cor. of sec. 12 & 13 - a Buckeye 12 in.
 dia. corner tree.
 North 1/2 mile rich & good for farming.

North on the E. Boundary of Sec. 12

20.00 a creek 80 Ws. wide course W
 40.00 set of sec. post from which
 a Sugar 10 in. dia. bears S 5 W 25 Ws. dist. 8
 a Buckeye 12 " " " N 75 E 20 " "
 68.00 a Brook 12 Ws. wide course E.
 80.00 set post cor. of sec. 10 & 12 from which
 a Buckeye 2 1/2 in. dia. bears S 72 E 26 Ws. dist. 8
 a Sugar 9 " " " S 51 W 37 " "
 Land first rate

North on the E. Boundary of Sec. 1

40.00 set of sec. post from which
 a Sugar 10 in. dia. bears N 48 E 24 Ws. dist. 8
 a Do 9 " " " N 42 W 16 " "
 80.00 set temp. Township corner post.
 Land first rate, North part rather broken.

North Boundary. Var. 7° 00' E.

West on the S. Boundary of Sec. 36, T. 20 N., R. 8 W

40.00 set of sec. post from which
 a Hickory 12 in. dia. bears S 10 W 31 Ws. dist. 8
 a Poplar 20 " " " N 9 E 51 " "
 80.00 set post cor. of sec. 35 & 36 from which
 a Hickory 14 in. dia. bears S 5 W 14 Ws. dist. 8
 a Maple 30 " " " N 65 E 11 " "
 Second rate middling farming land

T. 19 N., R. 8 W. 2. Mer. Ind. a.
Ch. Sp.

West in the S. Boundary of Sec. 35, T20 N, R8 W

40.00 cut gr. sec. part from which

a B. Ash 8 in. dia. bears S22 E 13 lbs. dist. 8

an Elm 20 " " " N52 W 31 " "

80.00 cut part cor. of sec. 34 & 35 from which

a Beech 12 in. dia. bears S34 W 11 lbs. dist. 8

a Do 18 " " " N64 W 21 " "

Land level, part very rich & part too wet,
timber Beech, Sugar, Ash, Walnut.

West in the S. Boundary of Sec. 34, T20 N, R8 W

40.00 a Maple 18 in. dia. stands for gr. sec. cor.

80.00 cut part cor. of sec. 33 & 34 from which

a Sugar 27 in. dia. bears S61 E 27 lbs. dist. 8

a Do 14 " " " S69 W 26 " "

Land level rich & good for farming, timber
same

West in the S. Boundary of Sec. 33, T20 N, R8 W

40.00 cut gr. sec. part from which

a Hickory 11 in. dia. bears N85 E 22 lbs. dist. 8

a B. Ash 9 " " " S75 W 33 " "

78.00 a Brook 15 lbs. wide course SW

80.00 cut part cor. of sec. 32 & 33 from which

a Sugar 11 in. dia. bears N48 W 12 lbs. dist. 8

a Do 18 " " " S1 E 23 " "

Land level rich & good for farming,
timber same as last described.

West on the S. Boundary of Sec. 32, T20 N, R8 W

40.00 cut gr. sec. part from which

a Sugar 18 in. dia. bears N10 W 35 lbs. dist. 8

a W. Oak 27 " " " S10 E 53 " "

60.00 a Brook 20 lbs. wide course S.

80.00 cut part cor. of sec. 31 & 32 from which

a W. Oak 18 in. dia. bears S48 W 9 lbs. dist. 8

T. 19 N., R. 8 W. 2^d Mer. Ind.^a
 Ch. 1st

a W. Oak 36 in. diam bears N 16 E 60 Yds. dist.
 Land 2^d rate.

West on the S. Boundary of Sec. 31, T. 20 N., R. 8 W.
 40.00 lot of sec. port from which

a W. Oak 30 in. diam bears S 76 E 28 Yds. dist. &

a Do 24 " " " S 69 W 11 " "

83.08 Intersect W. Boundary 918 Yds. N. of temp. port -
 lot port at intersection cor. of T. 19 & 20 N., R. 8
 & 9 W. from which

a W. Oak 18 in. diam bears S 30 E 40 Yds. dist. &

a Do 30 " " " N 39 W 37 " "

Good Oak & Hickory land of a good quality

West Boundary. Var. 6th 50th E.

North on the E. Boundary of Sec. 36, T. 19 N., R. 9 W

September 28. 1819

2.00 a Brook 9 Yds. wide course S E

32.00 a Do 7 " " " S E

40.00 lot of sec. port from which

a Beech 12 in. diam bears N 79 E 13 Yds. dist. &

a — — " " " S 48 W 43 " "

60.00 a Brook 8 Yds. wide course S E.

80.00 lot port cor. of sec. 25 & 36 from which

a Sugar 12 in. diam bears N 10 W 35 Yds. dist. &

a Linn 9 " " " S 53 W 52 " "

Land rolling & good for farming, timber
 Beech, Sugar, Ash &c.

North on the E. Boundary of Sec. 25, T. 19 N., R. 9 W

40.00 lot of sec. port from which

a Beech 20 in. diam bears N 86 E 22 Yds. dist. &

a Sugar 10 " " " South 49 " "

50.00 a Spring branch 10 Yds. wide course E.

53.00 a Do 3 " " " E.

80.00 lot port cor. of sec. 24 & 25 from which

T. 19 N., R. 8 W. 2. Mer. Ind.^o

Ch. 1st

a S. Oak 36 in. diameter S 7 E 5 Ws. dist. 8
 a Sugar 12 " " " N 80 W 27 " "
 Land rich & good for farming, timber Beech,
 Sugar, Walnut &c.

North on the E. Boundary of Sec. 24, T. 19 N., R. 9 W

40.00 set of sec. part from which

a Beech 14 in. diameter S 13 W 17 Ws. dist. 8

a W. Oak 15 " " " N 52 W 30 " "

80.00 set part cor. of sec. 13 & 24 from which

a Hickory 8 in. diameter S 85 W 2 Ws. dist. 8

a S. Oak 24 " " " S 52 E 41 " "

Land same

North on the E. Boundary of Sec. 13, T. 19 N., R. 9 W

20.00 a Brook 7 Ws. wide course W

40.00 set of sec. part from which

a B. Walnut 30 in. diameter N 87 W 15 Ws. dist. 8

a Do 3 " " " N 70 E 24 " "

70.00 a Brook 8 Ws. wide course SW

80.00 set part cor. of sec. 12 & 13 from which

a Sassafras 12 in. diameter S 7 E 33 Ws. dist. 8

a Do 18 " " " S 68 W 50 " "

Land similar

North on the E. Boundary of Sec. 12, T. 19 N., R. 9 W

40.00 set of sec. part from which

a Sugar 30 in. diameter N 81 E 42 Ws. dist. 8

a Do 18 " " " S 84 W 9 " "

62.50 a spring branch 8 Ws. wide course W

80.00 set part cor. of sec. 11 & 12 from which

a W. Walnut 20 in. diameter East 20 Ws. dist. 8

a W. Oak 24 " " " N 45 W 24 " "

Land level nearly T. & c, timber same

North on the E. Boundary of Sec. 1, T. 19 N., R. 9 W

T. 19 N., R. 8 W. 2. Mer. Ind.

Ch. Lk.

40.00 set gr. sec. post from which

a W. Oak 27 in. dia. bears N 87° W 10 lbs. dist. 8

a Do 24 " " " N 24° E 12 " "

49.00 a Spring branch corner NW

80.00 set temp. Township corner post—

Said middling level, timber Oak,

not much Upr. except small Brush &

Grape vines.

September 29, 1829. William Harris

Dep. Sur.

Subdivision. Var. 7. 10. E.

North between Sec. 35 & 36

3.17 a Hackberry 32 in. dia.

7.00 leave Bottom

40.00 set gr. sec. post from which

a Sugar 18 in. dia. bears N 36° E 33 lbs. dist. 8

a Do 24 " " " S 32° W 8 " "

45.10 a Hickory 20 " "

80.00 set post cor. of sec. 25, 26, 35 & 36 from which

a Hickory 21 in. dia. bears North 15 lbs. dist. 8

a W. Oak 36 " " " S 29° E 35 " "

Said level 2^d rate, timber Oak, Hickory, Ash,
Beech & Sugar

East on Random between Sec. 25 & 36

40.00 set temp. gr. sec. post

79.87 Intersect E. Boundary 84 lbs. S. of post—

Said level 2^d rate, timber Hickory, Oak, Elm,

Sugar & Beech

West Connected between Sec. 25 & 36

39.93 1/2 set gr. sec. post at aver. dist. from which

a O. Oak 36 in. dia. bears N 79° E 26 lbs. dist. 8

a Hickory 15 " " " N 7° E 21 " "

79.87 to sec. cor.

T. 19. N., R. 8 W. 2. Mer. Ind.

Chs. 2nd

North between Secs. 25 & 26

16.73 a Bur Oak 54 in. dia.

40.00 set gr. sec. post from which
a R. Oak 33 in. dia. bears N 11° W 13 lbs. dist. 3
a Beech 8 " " " S 72° E 28 " "

43.96 a B. Ash 18 " "

70.00 land dry

80.00 set post cor. of sec. 23, 24, 25 & 26 from which
a Sugar 16 in. dia. bears N 51° E 37 lbs. dist. 3
a Do 24 " " " S 27° W 25 " "
Land level 2nd rate inclining to wet, timber
Ash, Hickory, Oak, Beech, Elm & Sugar

East on Random between Secs. 24 & 25

40.00 set temp. gr. sec. post

42.00 wet land

50.00 leave wet land

75.00 a Bramble Swamp

77.00 leave Do

79.50 Intersect E. Boundary at post

Land level 2nd rate, timber Oak, Ash, Hickory
Elm, Beech & Sugar

West Corrected between Secs. 24 & 25

39.75 set gr. sec. post at aver. dist. from which

a Bur Oak 30 in. dia. bears N 61° W 32 lbs. dist.

an Elm 42 " " " East 20 " "

79.50 to sec. cor.

North between Secs. 23 & 24

13.20 a R. Oak 20 in. dia.

38.00 a Brook 17 lbs. wide course W

40.00 set gr. sec. post from which

a Sugar 15 in. dia. bears S 80° W 18 lbs. dist. 3

ambrosia? 6 " " " S 55° E 35 " "

57.05 a W. Oak 24 " "

T. 19 N., R. 8 W. 2. Mer. Ind.^a
Ch. Cr.

80.00 set post cor. of sec. 13, 14, 23 & 24 from which
a W. Oak 30 in. dia. bears N 68° W 10 Ws. dist. 8
a Sugar 16 " " " S 65° E 35 " "
Land level 2. rate, timber Oak, Hickory,
Ash, Sugar & Beech Dec. 28. 1820

East on Random between Sec. 13 & 24

40.00 set temp. gr. sec. post

46.10 a Brook 12 Ws. wide course NW

79.84 Intersect E. Boundary 27 Ws. S. of post—

Land rolling 2. rate, timber Sugar, Ash, Wal-
nut, Oak & Hickory

West Connected between Sec. 13 & 24

39.92 set gr. sec. post at aver. dist. from which

a Sugar 10 in. dia. bears N 13° W 8 Ws. dist. 8

a Do 8 " " " S 6° W 20 " "

79.84 to sec. cor.

North between Sec. 13 & 14

5.25 a Brook 4 Ws. wide course W.

18.81 a Do 5 " " " W

19.70 a Sugar 24 in. dia.

20.00 enter Bottom

39.10 a Creek 165 Ws. wide course NW

40.00 set gr. sec. post from which

a ~~Hickory~~ 24 in. dia. bears N 8° W 80 Ws. dist. 8

a Sycamore 6 " " " S 46 1/2° W 140 " "

40.45 leave Creek

54.90 a Sugar 22 in. dia.

60.00 leave Bottom

80.00 set post cor. of sec. 11, 12, 13 & 14 from which

a Sugar 14 in. dia. bears N 77° E 35 Ws. dist. 8

a Do 8 " " " S 49° W 12 " "

Upland rolling 2. rate, Bottom rich, timber
Ash, Sugar, Hackberry, Oak & Hickory

T. 19 N., R. 8 W. 2^d Mer. Ind.^aE. 1st 8th

East in Random between Sect. 12 & 13

40.00 set temp. gr. sec. post

44.00 enter bottom

45.00 a Brook 5 Ws. wide course SE

50.50 a creek 150 " " " NW

61.50 leave Bottom

74.78 a creek 150 Ws. wide course N.

79.25 Intersect E. Boundary at post

Sandy Bottom rich, Upland rich & level, tim-
ber Walnut, Sugar, Ash & Hackberry

West Connected between Sect. 12 & 13

39.62 set gr. sec. post at aver. dint. from which
a Sugar 9 in. diam. bears N 30° W 23 Ws. dint. 8
a Sh 15 " " " S 79° E 43 " "

79.25 to sec. cor.

North between Sect. 11 & 12

0.10 enter Bottom

1.15 a Poplar 30 in. dia.

3.50 a Brook 20 Ws. wide course NW

10.90 leave Brook course SE

18.50 leave Bottom

25.30 a Brook 4 Ws. wide course W.

40.00 set gr. sec. post from which

a Sugar 20 in. diam. bears N 19° E 24 Ws. dint. 8

a Sh 10 " " " S 24° W 40 " "

43.08 a Sh 10 " "

49.30 a Brook 4 Ws. wide course W

67.00 a Sh 10 " " " NW

80.00 set post cor. of Sect. 1, 2, 11 & 12 from which

a Beech 10 in. diam. bears N 38° E 9 Ws. dint. 8

a Sh 10 " " " S 23° W 10 " "

Sand rolling & late, timber Oak, Hickory,
Ash, Sugar & Beech

T. 19 N., R. 8 W. 2^d Mer. Ind.^aChap. 1st

East on Random between Sec. 1 & 12

35.88 a Brook 8 Ws. wide course NE

40.00 set temp. gr. sec. post

51.30 a Brook 15 Ws. wide course SE

79.76 Intersect E. Boundary 120 Ws. E. of post—

Land rolling 2^d rate, timber Oak, Sugar, Beech,
Ash, Walnut & Hickory.

West Corrected between Sec. 1 & 12

39.88 set gr. sec. post at aver. dist. from which

a B. Walnut 27 in. diam. bears N 32 E 32 Ws. dist. 8

a Sugar 10 " " " S 19 W 19 " "

79.76 to sec. cr.

North between Sec. 1 & 2

4.50 a Poplar 22 in. dia.

38.80 a Brook 10 Ws. wide course SW

40.00 set gr. sec. post from which

a W. Oak 38 in. diam. bears N 81 E 28 Ws. dist. 8

a Sugar 8 " " " N 30 W 7 " "

43.15 a Brook 10 Ws. wide course SE.

44.75 a Beech 16 in. dia.

90.71 Intersect N. Boundary 52 Ws. E. of post—

set post at intersection cr. of Sec. 1 & 2 from which

an Elm 10 in. diam. bears N 31 E 5 Ws. dist. 8

a Do 24 " " " S 38 E 31 " "

Land first 1/2 mile rolling, last 1/2 mile level

2^d rate, timber Oak, Ash, Hickory, Sugar

a Beech December 29. 1820

North between Sec. 34 & 35

2.65 a W. Oak 38 in. dia.

10.25 a Brook 75 Ws. wide course W

10.50 leave Bottom

37.77 a Brook 22 Ws. wide course SW

40.00 set gr. sec. post from which

T. 19 N., R. 8 W., 2^d Mer. Ind. a.

Ch. Sk.

a Beech 8 in. diam bears N 87 W 19 lbs. dist. 8

a Do 10 " " " S 40 W 12 " "

41.65 a W. Oak 36 " "

55.80 a Brook 8 lbs. wide course S E

80.00 set post. cor. of sec. 26, 27, 34 & 35 from which

a W. Ash 8 in. diam bears N 67 W 12 lbs. dist. 8

a Beech 8 " " " S 22 E 10 " "

Land first 1/2 mile broken 3^d rate, last 1/2 mile
level 2^d rate, timber Beech, Ash, Oak, Hickory,
Sugar & Poplar

East in Random between Sec. 26 & 35

40.00 set temp. gr. sec. post

65.00 enter wet land

70.00 leave " "

80.50 Intersect N. S. line 10 lbs. N. of post.

Land level 2^d rate, timber Beech, Sugar, Ash,
Oak & Elm

West Corrected between Sec. 26 & 35

40.25 set gr. sec. post at aver. dist. from which

a Hickory 19 in. diam bears S 67 W 20 lbs. dist. 8

a Do 10 " " " N 82 E 20 " "

80.50 to sec. cor.

North between Sec. 26 & 27

5.03 a Hickory 20 in. dia.

19.20 a Brook 4 lbs. wide course NW

40.00 set gr. sec. post from which

a W. Oak 20 in. diam bears South 3 lbs. dist. 8

a Sugar 15 " " " N 72 W 24 " "

43.10 a Brook 4 lbs. wide course NW

53.00 enter Bottom

56.96 a Brook 15 lbs. wide course NW

59.13 a Buckeye 18 in. dia.

80.00 set post. cor. of sec. 22, 23, 26 & 27 from which

T. 19 N., R. 8 W. 2. Mer. Ind. Co.
Chs. Co.

a Sycamore 36 in. diam. N 40 E 10 Ws. dist. 8
a Buckeye 22 " " " S 25 E 24 " "
Land first half mile broken 3. rate, last 1/2
mile level rich. Timber Oak, Sugar, Beech,
Hickory & Buckeye.

East on Raudum between Secs. 23 & 26

19.50 leave Bottom

34.59 a Brook 8 Ws. wide course NW

36.50 a Do 6 " " " NW

40.00 set temp. gr. sec. post

80.59 Intersect N. S. line 23 Ws. S. of post -

Land level bottom rich, Upland 3. rate, timber
Oak, Sugar, Ash, Beech, Sycamore, Walnut &.

West Connected between Secs. 23 & 26

40.29 set gr. sec. post at aver. dist. from which

a Sugar 24 in. diam. S 5 W 17 Ws. dist. 8

a Post Oak 16 " " " N 28 E 43 " "

80.59 to sec. cor.

North between Secs. 22 & 23

2.22 a W. Elm 60 in. diam.

27.00 a creek 133 Ws. wide course SW

40.00 set gr. sec. post from which

a Hickory 24 in. diam. N 19 E 28 Ws. dist. 8

a Buckeye 9 " " " South 9 " "

42.64 a creek 140 Ws. wide course SE

44.00 a Sycamore 6 in. diam.

64.10 a creek 200 Ws. wide course SW

80.00 set post cor. of Secs. 14, 15, 22 & 23 from which

a Buckeye 12 in. diam. N 9 E 24 Ws. dist. 8

a Hickory 9 " " " S 4 W 19 " "

Bottom rich, some broken, timber Walnut,
Hackberry, Sugar, Buckeye & Hackberry

T. 19 N., R. 8 W., 2^d. Mer. Ind &
Ck. S. W.

East on Random between Sect. 14 & 23

15.75 enter Creek course SW

23.00 leave Creek

32.00 Creek

35.00 leave Creek course from NW

40.00 set temp. q. sec. post

64.00 leave Bottom

67.10 at Brook 3 Ws. wide course NW

81.04 Intersect N. G. line 5 Ws. S. of post -

Land, Bottom rich, Upland half 1st rate
balance 2^d rate. Timber Ash, Sugar, Walnut,
Beech, Hickory, Buckeye & Hackberry

West Corrected between Sect. 14 & 23

40.52 set q. sec. post at aver. dist. from which

a W. Elm 12 in. diam bears S 64° W 27 Ws. dist. S

a Buckeye 10 " " " N 66° E 43 " "

81.04 to sec. cor.

North between Sect. 14 & 15

10.50 leave Bottom

17.46 a Sugar 18 in. dia.

24.00 at Brook 15 Ws. wide course SE

40.00 set q. sec. post from which

a R. Oak 36 in. diam bears N 53° W 19 Ws. dist. S

a Sugar 22 " " " S 72° E 28 " "

December 30. 1820

44.57 a W. Oak 28 in. dia.

62.38 at Brook 11 Ws. wide course SE

80.00 set post cor. of Sect. 10, 11, 14 & 15 from which

a W. Oak 18 in. diam bears N 28° E 23 Ws. dist. S

a Do 42 " " " S 14° W 20 " "

Land broken 3^d rate, timber Oak, Hickory,
Beech, Ash & Sugar

East on Random between Sect. 14 & 14

T. 19 N., R. 8 W. 2. Mer. Ind.^a

Chr. Lk.

40.00 set temp. g. sec. port

50.50 at Brook 25 Ws. wide course SE

75.50 a Do 50 " " " SW

77.70 a Do 70 " " " SE

81.30 Intersect N & S. line 32 Ws. S. of port -

Land first 1/2 mile level & rate, last 1/2 mile
rolling rich & rate, timber Oak, Hickory, Beech,
Ash, Sugar, Walnut & Sycam.

West Corrected between Sec. 10 & 14

40.65 set g. sec. port at aver. dist. from which

a Sugar 16 in. dia. bears S 18 W 20 Ws. dist. 8

a Do 18 " " " N 15 E 6 " "

81.30 to sec. cor.

North between Sec. 10 & 11

22.80 at Brook 20 Ws. wide course SW.

31.90 at N. Oak 28 in. dia.

40.00 set g. sec. port from which

a Bur Oak 12 in. dia. bears S 83 E 11 Ws. dist. 8

a Sugar 18 " " " S 65 W 32 " "

46.40 at Hickory 20 " "

80.00 set port cor. of sec. 2, 3, 10 & 11 from which

a Sugar 12 in. dia. bears N 3 1/2 E 21 Ws. dist. 8

a Beech 20 " " " S 45 W 14 " "

Land level & rate, timber Oak, Hickory,
Sugar, Beech & Poplar

East on Random between Sec. 2 & 11

7.32 at Brook 15 Ws. wide course SW.

29.00 a Do 10 " " " SE

40.00 set temp. g. sec. port

80.80 Intersect N & S. line 04 Ws. S. of port -

Land level & rate, timber Oak, Hickory,
Beech, & Sugar

T. 19 N., R. 8 W. 2, Mer. Ind.^a

Chs. Lks.

West Connected between Sect. 2 & 11

40.43 set gr. sec. post at aver. dist. from which
 a Beech 15 in. dia. bears S 40° W 31 lbs. dist. 8
 a Hickory 22 " " " N 60° E 26 " "
 80.86 to sec. cor.

North between Sect. 2 & 3

8.33 a Sugar 12 in. dia.
 40.00 set gr. sec. post from which
 a Beech 14 in. dia. bears S 89° E 12 lbs. dist. 8
 a Do 12 " " " S 42° W 7 " "
 55.50 a Hickory 4 " "
 91.77 Intersect N. Boundary 68 lbs. E. of post -
 set post at intersection cor. of Sect. 2 & 3 from which
 a Beech 18 in. dia. bears N 34° W 27 lbs. dist. 8
 a Do 20 " " " S 25° E 11 " "
 Land level 2. rate, timber Oak, Hickory,
 Beech, Ash, Sugar & Poplar

North between Sect. 33 & 34

12.08 a R. Oak 40 in. dia.
 40.00 set gr. sec. post from which
 a Sugar 8 in. dia. bears N 40° E 26 lbs. dist. 8
 a R. Oak 27 " " " S 51° W 20 " "
 43.00 a R. Oak 48 " "
 48.35 a Brook 8 lbs. wide course NW.
 55.90 a Do 10 " " " W
 80.00 set post cor. of Sect. 27, 28, 33 & 34 from which
 a Sugar 15 in. dia. bears S 1° E 18 lbs. dist. 8
 a Do 13 " " " N 17° W 23 " "
 Land first 1/2 mile level 2. rate, last 1/2
 mile broken 3. rate, timber Oak, Hickory,
 Sugar, Ash & Beech

East in Random between Sect. 27 & 34

0.35 a Brook 3 lbs. wide course NW

T. 19 N., R. 8 W. 2. Mer. Ind.^a

Chs. Chs.

- 10.10 a Brook 15 Ws. wide course N.
 15.72 a Do 8 " " " " NW
 38.00 a Do 25 " " " " NW
 40.00 at temp. of sec. part
 58.52 a Brook 8 Ws. wide course N
 62.55 a Do 6 " " " " NW
 80.72 Intersect N. S. line 10 Ws. S. of part—
 Land first 1/2 mile broken 3^d rate, last 1/2 mile
 rolling 2^d rate, timber Oak, Hickory, Sugar,
 & Beech

West Connected between Sec. 27 & 34

- 40.36 at gr. sec. part at aver. dist. from which
 a Sugar 15 in. dia. bears S 42° W 20 Ws. dist. 8
 a Do 10 " " " " N 57° E 19 " "
 80.72 to sec. cor. December 31. 1820

North between Sec. 27 & 28

- 0.60 a Brook 4 Ws. wide course NW
 8.94 a W. Oak 18 in. dia.
 9.18 enter Bottom
 10.38 a Brook 25 Ws. wide course SW
 33.22 a Creek 180 Ws. wide course SW. & leave bottom
 40.00 at gr. sec. part from which
 a Poplar 54 in. dia. bears N 21° E 32 Ws. dist. 8
 a Sugar 18 " " " " South 35 " "
 44.08 a W. Oak 30 " "
 47.00 enter Bottom
 47.42 a Creek 150 Ws. wide course SE
 57.22 a Do 300 " " " " SW
 61.80 leave Bottom
 80.00 at part cor. of sec. 21, 22, 27 & 28 from which
 a Sugar 15 in. dia. bears N 69° E 9 Ws. dist. 8
 a R. Oak 30 " " " " S 86° W 42 " "
 Land, Bottom rich, Upland broken 3^d rate,
 timber Oak, Hickory, Sugar, Walnut, Beech,

Ch. Sp? T. 19 N., R. 8 W. 2. Mer. Ind.^a
 & Hackberry.

East on Random between Sec. 22 & 27
 40.00 set temp. of sec. post
 41.00 enter Bottom
 71.00 a creek 234 Yds. wide course SE.
 81.00 Intersect N. & S. line 28 Yds. S. of post -
 Land T. 1/2 mile 2^d rate, Bottom rich,
 timber Oak, Sugar, Walnut, Ash, Beech,
 & Sycamore

West Connected between Sec. 22 & 27
 44.50 set of sec. post at aver. dist. from which
 a W. Oak 27 in. dia. bears N 59° W 10 Yds. dist. 8
 a Do 20 " " " S 44° E 25 " "
 81.00 to sec. cor.

North between Sec. 21 & 22
 43.00 a W. Oak 36 in. dia.
 40.00 set of sec. post from which
 a W. Elm 18 in. dia. bears N 78° E 35 Yds. dist. 8
 a Beech 16 " " " S 68° W 39 " "
 51.00 a Bur Oak 30 " "
 80.00 set post cor. of sec. 15, 16, 21 & 22 from which
 a Beech 10 in. dia. bears S 63° E 20 Yds. dist. 8
 a Hickory 22 " " " S 52° W 5 " "
 Land level 2^d rate, timber Oak, Hickory,
 Ash, Beech, Sugar & Walnut

East on Random between Sec. 15 & 22
 40.00 set temp. of sec. post
 44.76 a Brook 10 Yds. wide course SE
 75.50 enter Bottom
 80.72 Intersect N. & S. line 40 Yds. N. of post -
 Land, Upland broken 3^d rate, Bottom rich,
 timber Oak, Hickory, Beech, Ash & Sugar

T. 19 N., R. 8 W. 2. Mer. Ind.
 Chs. Chs.
 in Bottom Walnut

West Connected between Sec. 15 & 22

40.36 set gr. sec. post at aver. dist. from which
 an Ironwood 4 in. dia. bears S 22 E 27 1/2 W. dist.
 & a Beech 10 " " " N 38 W 44 " "
 80.72 to sec. cor.

North between Sec. 15 & 16

8.91 at Hickory 20 in. dia.
 40.00 set gr. sec. post from which
 a B. Walnut 22 in. dia. bears N 43 E 49 1/2 W. dist. 3
 a Spruce 16 " " " S 68 W 20 " "
 63.96 a Sugar 10 " "
 80.00 set post cor. of sec. 9, 10, 15 & 16 from which
 a Hickory 22 in. dia. bears N 64 W 4 W. dist. 8
 a Do 24 " " " N 66 E 24 " "
 Sand level 2 rates, timber Oak, Hickory,
 Beech, Sugar & Walnut

East on Random between Sec. 10 & 15

40.00 set temp. gr. sec. post
 80.35 Intersect N. S. line 63 W. N. of post -
 Sand level 2 rates, timber Oak, Hickory,
 Beech & Sugar

West Connected between Sec. 10 & 15

40.17 1/2 set gr. sec. post at aver. dist. from which
 a Beech 12 in. dia. bears N 22 W 36 in. dia.
 a Do 22 " " " S 59 E 26 " "
 80.35 to sec. cor. January 1. 1821

North between Sec. 9 & 10

12.08 at Beech 12 in. dia.
 40.00 set gr. sec. post from which
 a W. Elm 18 in. dia. bears N 88 E 39 W. dist. 8

T. 19 N., R. 8 W., T. 2. Mer. Ind.^u
Ch. 20.

at N. Ash 15 in. diam. N 83 W 34 lbs. dirt.
49.04 at N. Elm 30 " "
69.90 at Brook 12 lbs. wide course NW
80.00 set port cor. of Sect. 3, 4, 9 & 10 from which
a Sugar 8 in. diam. N 38 W 13 lbs. dirt. 8
at N. Elm 22 " " " S 13 E 23 " "
Land level 2 rate, timber Oak, Elm, Hick-
ory, Beech, Sugar & Walnut

East on Random between Sect. 3 & 10

40.00 set temp. g. sec. port
80.71 Intersect N. & S. line 52 lbs. N. of port -
Land level 2 rate, timber Oak, Hickory,
Elm, Ash, Beech, Poplar, Walnut & Sugar

West Connected between Sect. 3 & 10

40.35 1/2 set g. sec. port at aver. dirt from which
a Sugar 15 in. diam. S 9 W 24 lbs. dirt. 8
a Elm 9 " " " N 26 W 21 " "
80.71 to sec. cor.

North between Sect. 3 & 4

13.20 at Beech 18 in. dia.
40.00 set g. sec. port from which
an Ash 14 in. diam. S 68 E 22 lbs. dirt. 8
a Sugar 18 " " " N 44 W 30 " "
53.00 enter Swamp
58.51 leave "
67.70 at Hickory 18 in. dia.
91.10 Intersect N. Boundary at port cor. of Sect.
33 & 34 T 20 N - marked Sect. 3 & 4
Land level 2 rate, timber Sugar, Beech,
Hickory, Elm, Gum & Oak

North between Sect. 32 & 33

8.85 at N. Oak 24 in. dia.

T.M.N., R. 8 W. 2. Mer. Ind. a

Ch. 2. 2nd.

- 40.00 set of g. sec. post from which
 a Buckeye 9 in. diam. bears N 18 E 40 W. dist. 8
 a Sugar 15 " " " S 36 W 24 " "
 49.35 at W. Walnut 24 in. diam.
 70.00 a creek 200 W. wide course SW
 80.00 set post cor. of sec. 28, 29, 32 & 33 from which
 a Sugar 14 in. diam. bears N 22 E 25 W. dist. 8
 at W. Oak 22 " " " S 82 W 34 " "
 Land broken 3. rate, timber Oak, Hickory,
 Beech & Sugar

East on Random between Sec. 28 & 33

- 4.00 a creek 50 W. wide course NW
 4.50 an Island
 5.50 enter Creek 75 W. wide course SW. &
 entered bottom
 14.67 a creek 150 W. wide course NW
 36.70 a do 75 " " " SW
 40.00 set temp. g. sec. post
 57.00 leave Bottom
 62.40 at Brook 10 W. wide course NW
 81.25 Intersect N. S. line 8 W. N. of post -
 Upland broken 3. rate, Bottom rich, tim-
 ber Oak, Hickory, Walnut, Sugar & Beech

West Connected between Sec. 28 & 33

- 40.62 1/2 set of g. sec. post at aver. dist. from which
 a Hackberry 22 in. diam. bears S 51 W 2 W. dist.
 a do 36 " " " S 89 E 14 " "
 81.25 to sec. cor.

North between Sec. 28 & 29

- 7.65 a Sugar 10 in. diam.
 40.00 set of g. sec. post from which
 a Sugar 8 in. diam. bears N 70 E 25 W. dist. 8
 a do 16 " " " N 64 W 24 " "

T. 19 N., R. 8 W. 2. Mer. Ind.

Ch. Cr.

43.98 at Beech 16 in. dia.

80.00 set post cen. of sec. 20, 21, 28 & 29 from which
 a Sugar 18 in. dia. bears N 23 E 31 W. dist. 8
 at W. Oak 30 " " " S 23 W 27 " "
 Land level 2. rate, timber Oak, Sugar,
 Hickory & Beech January 2. 1821

East on Random between Sec. 21 & 28

40.00 set temp. gr. sec. post

40.80 at Brook 30 Ws. wide course SW

80.32 Intersect N & S. line 95 Ws. N. of post—
 Land level 2. rate, timber Oak, Hickory,
 Beech & Sugar

West corrected between Sec. 21 & 28

40.10 set gr. sec. post at aver. dist. from which
 a Buckeye 10 in. dia. bears S 18 E 22 W. dist. 8
 an Irono. 12 " " " N 17 E 57 " "
 80.32 to sec. cen.

North between Sec. 20 & 21

4.80 at Brook 10 Ws. wide course NW

12.10 at W. Oak 30 in. dia.

24.43 at Brook 30 Ws. wide course SW

40.00 set gr. sec. post from which
 a Sugar 24 in. dia. bears East 32 Ws. dist. 8
 at B. Walnut 20 " " " S 86 W 60 " "

47.37 at Hickory 12 " "

80.00 set post cen. of sec. 16, 17, 20 & 21 from which
 at Walnut 27 in. dia. bears N 88 E 9 W. dist. 8
 a Beech 24 " " " S 82 W 37 " "
 Land broken 3. rate, timber Oak, Hickory,
 Beech & Sugar

East on Random between Sec. 16 & 21

18.00 at Brook 40 Ws. wide course SW.

T. 19 N., R. 8 W. 2. Mer. Ind. a

Chas. Clark

40.00 set temp. gr. sec. post

43.27 at Brook 10 hrs. wide course NE

80.66 Intersect N & S. line 45 hrs. S. of post.

Land broken & rate, timber Oak, Beech,
Sugar, Walnut & Ash

West Corrected between Sec. 16 & 21

40.33 set gr. sec. post at aver. dist. from which

a Lym 16 in. dia. bears N 65 N 17 hrs. dist. S

at W. Oak 22 " " " S 73 E 21 " "

80.66 to sec. cor.

North between Sec. 16 & 17

3.83 a Beech 30 in. dia.

40.00 set gr. sec. post from which

at W. Oak 20 in. dia. bears N 22 W 10 hrs. dist. S

at Beech 16 " " " S 51 E 33 " "

48.90 at W. Oak 30 " "

80.00 set post cor. of sec. 8, 9, 16 & 17 from which

a Hickory 20 in. dia. bears S 65 W 29 hrs. dist.

at W. Oak 42 " " " S 75 E 33 " "

Land level & rate, timber Oak, Beech,
Hickory, Sugar & Ash

East on Random between Sec. 9 & 16

39.50 at Brook 80 hrs. wide course SW

40.00 set temp. gr. sec. post

80.83 Intersect N & S. line 17 hrs. S. of post.

Land level & rate, timber Oak, Beech,
Hickory, Ash & Walnut

West Corrected between Sec. 9 & 16

40.41 1/2 set gr. sec. post at aver. dist. from which

at Beech 12 in. dia. bears S 51 W 19 hrs. dist. S

at W. Walnut 4 " " " N 40 E 10 " "

80.83 to sec. cor.

T. W. N., R. S. W. D. Mea. Ind.^a
Ch. Ch.

North between Sec. 8 & 9

25.80 a W. Oak 28 in. dia.

40.00 set q. sec. port from which

a W. Oak 36 in. dia. bears N 79 W 49 lbs. dist. 8

a Do 26 " " " S 40 E 9 " "

47.25 a Do 30 " "

80.00 set port cor. of sec. 4, 5, 8 & 9 from which

a Beech 8 in. dia. bears N 13 E 7.5 lbs. dist. 8

a Sugar 16 " " " S 8 W 20 " "

Land level 2^d rate, timber Oak, Beech, Hickory.

& Sugar January 3. 1821

East on Random between Sec. 4 & 9

40.00 set temp. q. sec. port

80.22 Intersect N & S. line 36 lbs. N. of port -

Land level 2^d rate, timber Oak, Beech, Hickory,

& Sugar

West Corrected between Sec. 4 & 9

40.11 set q. sec. port at aces. dist. from which

a W. Ash 12 in. dia. bears S 37 E 26 lbs. dist. 8

a Hickory 24 " " " N 45 W 54 " "

80.22 to sec. cor.

North between Sec. 4 & 5

22.15 a Sugar 20 in. dia.

40.00 set q. sec. port from which

a Beech 20 in. dia. bears N 70 W 16 lbs. dist. 8

a Sugar 14 " " " S 22 E 30 " "

49.27 a Beech 24 " "

89.50 a Brook 25 lbs. wide course NW

90.42 Intersect N. Boundary 81 lbs. N. of port -

set port at intersection cor. of sec. 4 & 5 from which

a Sugar 22 in. dia. bears N 45 E 32 lbs. dist. 8

a W. Oak 36 " " " S 77 W 20 " "

Land 2^d rate, timber Oak, Beech, Hickory &

T. 19 N., R. 8 W. 2^d Mer. Ind^a

Chs. Lk

Sugar.

North between Secs. 31 & 32

0.52 a W. Oak 30 in. dia.

28.50 enter Bottom

40.00 set gr. sec. post from which

a W. Elm 4 in. dia. bears N 70 E 9 lks. dist. &

a Coffeenut 3 ; ; S 25 W 4 ; ;

50.33 a creek 170 lks. wide course SW.

52.72 a Sycamore 24 in. dia.

60.75 leave Bottom

80.00 set post cor. of secs. 29, 30, 31 & 32 from which

a Buckeye 6 in. dia. bears S 78 W 19 lks. dist. &

a Hackberry 12 ; ; S 25 E 22 ; ;

Land rolling rich, timber B Walnut, Hack-
berry, Buckeye & Sugar.

East in Random between Secs. 29 & 32

11.75 enter Swamp

15.50 leave "

25.40 a Brook 50 lks. wide course S.

40.00 set temp. gr. sec. post

80.75 Intersect N. F. line 17 lks. S. of post -

Land broken 2^d rate, timber Beech, Oak, Hick-
ory, Walnut & Sugar.

West Corrected between Secs. 29 & 32

40.37 1/2 set gr. sec. post at awei. dist. from which

a Sugar 16 in. dia. bears S 35 W 24 lks. dist. &

a Hackberry 22 ; ; S 88 E 65 ; ;

80.75 to sec. cor.

West between Secs. 30 & 31

7.84 a Sugar 22 in. dia.

40.00 set gr. sec. post from which

a Sugar 12 in. dia. bears N 35 E 13 lks. dist. &

T. 19 N., R. 8 W. 2. Mer. Ind. a

Chr. Lm

a W. Oak 24 in. dia bears S 15 E 42 hrs. dist.

59.82 a Do 36 " "

64.61 a Brook 15 hrs. wide course S E

82.19 Intersect W. Boundary 7 hrs. S. of port -

set port cor. of sec. 30 & 31 at intersection from which

a Sugar 12 in. dia bears N 55 W 48 hrs. dist. S

a Do 30 " " South 55 " "

Land first 1/2 mile 2^d rate, last 1/2 mile broken 3^d rate, timber Walnut, Sugar, Beech, Oak & Ash

North between Sec. 29 & 30

10.75 a W. Walnut 36 in. dia.

19.75 a Brook 20 hrs. wide course E.

40.00 set gr. sec. port from which

a Sugar 10 in. dia bears N 73 W 8 hrs. dist. S

a Do 12 " " South 5 " "

49.50 a Poplar 30 " "

54.50 a Brook 3 hrs. wide course E.

74.10 a Do 10 " " E

80.00 set port cor. of sec. 19, 20, 29 & 30 from which

a Beech 16 in. dia bears N 82 E 25 hrs. dist. S

a Lym 15 " " S 47 W 44 " "

Land first 1/2 mile 2^d rate, last 1/2 mile 3^d rate. Timber Walnut, Sugar, Ash, Lym & Beech

East on Random between Sec. 20 & 29

17.06 a Brook 50 hrs. wide course S E

40.00 set temp. gr. sec. port

53.06 a Brook 50 hrs. wide course SW

55.00 a Do 50 " " " NW

61.25 a Do 25 " " " SW

81.15 Intersect N. & S. line 92 hrs. S. of port -

Land broken 3^d rate, timber Beech, Oak, Hickory & Sugar.

T. 19 N., R. 8 W. 2^d Mer. Ind.^aChs. 1st

West Connected between Sec. 20 & 29

40.5th set gr. sec. post at aver. dist. from which
 an Ironwood 10 in. dia. bears S 21 W 29th lbs. dist. 8
 an Elm 24, , , N 30 E 33 , ,
 81.15 to sec. cor.

West between Sec. 19 & 30

18.38 a R. Elm 20 in. dia.

40.00 set gr. sec. post from which
 a Sugar 24 in. dia. bears N 17 E 46th lbs. dist. 8
 a Do 16 , , , S 19 W 37 , ,

65.85 a Hickory 20 , ,

82.00 Intersect W. Boundary 152th lbs. S. of post —
 set post at intersection cor. of sec. 19 & 30 from which
 a Hickory 27 in. dia. bears N 14 E 33th lbs. dist. 8
 a R. Oak 42 , , , S 23 E 40 , ,
 Land level 2^d rate, timber Oak, Sugar, Hick-
 ory, Beech & Walnut

North between Sec. 19 & 20

1.46 a W. Oak 20 in. dia.

28.15 a Brook 6th lbs. wide course E.

40.00 set gr. sec. post from which
 a Sugar 24 in. dia. bears N 15 W 33th lbs. dist. 8
 an Ironwood 6 , , , S 55 W 5 , ,

45.84 a W. Oak 30 , ,

49.40 a Brook 10th lbs. wide course E.

80.00 set post cor. of sec. 17, 18, 19 & 20 from which
 an Elm 15 in. dia. bears North 11th lbs. dist. 8
 a R. Elm 16 , , , S 8 E 24 , ,
 Land level 2^d rate, timber Sugar, Ash,
 Elm & Beech. January 4. 1821

East on Random between Sec. 17 & 20

7.96 a Brook 50th lbs. wide course S E

40.00 set temp. gr. sec. post

T. 19 N., R. 8 W. 2^d. Mer. Ind.^a.
Chs. 2nd.

80.70 Intersect N. S. line 22 Ws. S. of post -
Land level 2^d rate, timber Oak, Beech, Sugar,
Hickory & Walnut

West Connected between Sec. 17 & 20

40.35 set of sec. post at aver. dist. from which
a Bur Oak 30 in. dia. bears N 79° W 12 Ws. dist.
a Sugar 24 " " " S 68° E 46 " "
80.70 to sec. cor.

West between Sec. 18 & 19

2.04 a Gum 24 in. dia.
40.00 set of sec. post from which
a Sugar 10 in. dia. bears N 9° W 8 Ws. dist. S
a Beech 22 " " " N 81° W 21 " "
57.77 a Sugar 18 " "
82.10 Intersect W. Boundary 144 Ws. S. of post -
set post at intersection cor. of sec. 18 & 19 from which
a W. Oak 24 in. dia. bears N 43° W 11 Ws. dist. S
a Beech 18 " " " S 34° E 9 " "
Land level 2^d rate, timber Sugar, Walnut,
Hickory, Ash & Oak

North between Sec. 17 & 18

8.92 a Buckeye 36 in. dia.
17.30 a Brook 10 Ws. wide course E.
40.00 set of sec. post from which
a Buckeye 9 in. dia. bears N 43° E 17 Ws. dist. S
a Do 12 " " " S 61° W 7 " "
61.40 a W. Oak 24 " "
80.00 set post cor. of sec. 7, 8, 17 & 18 from which
a W. Oak 22 in. dia. bears S 51° E 50 Ws. dist. S
a Do 30 " " " S 65° W 48 " "
Land level 2^d rate, timber Oak, Sugar,
Beech, Walnut & Ash

T. 19 N., R. 8 W. 2. Mer. Ind.^a

Chs. Chs.

East in Random between Sec. 8 & 17

3.00 enter Prairie

7.35 at Brook 20 hrs. wide corner SE.

22.00 leave Prairie

40.00 set temp. gr. sec. post

80.00 Intersect N. S. line 8 hrs. N. of post

Land level 2 rods, timber Oak, Hickory,
Sugar, Beech. Prairie level 1/2 mile.

West Corrected between Sec. 8 & 17

40.30 set gr. sec. post at aver. dist. from which
a W. Oak 42 in. diam bears S 75° W 25 hrs. dist. 8

a Sugar 12 " " " N 45° E 31 " "

80.00 to sec. cor.

West between Sec. 7 & 18

3.88 at W. Oak 18 in. dia.

40.00 set gr. sec. post from which

a Beech 20 in. diam bears S 13° W 19 hrs. dist. 8

a Sugar 18 " " " N 42° E 45 " "

61.65 at W. Oak 24 " "

81.55 Intersect W. Boundary 178 1/2 hrs. S. of post

a Sugar 24 in. dia. stands at intersection,
which made corner from which

a R. Oak 42 in. diam bears North 34 hrs. dist. 8

a Sapling 14 " " " S 69° E 27 " "

Land level 2 rods, timber Oak, Sugar,
Beech, Hickory & Walnut.

North between Sec. 7 & 8

7.72 at W. Oak 24 in. dia.

20.25 at Brook 3 hrs. wide corner E.

40.00 set gr. sec. post from which

a W. Oak 24 in. diam bears N 33° E 88 hrs. dist. 8

a R. Oak 27 " " " S 61° W 41 " "

42.30 at W. Oak 26 " "

T. 19 N., R. 8 W. 2^d Mer. Ind.^aCh. 8th45.26 a Brook 5th wide curve E.

80.00 set post cor. of sec. 5, 6, 7 & 8 from which
 a W. Oak 30 in. dis. bears S 62° W 44th dis. S
 a Dr 60 " " " South 68 " "
 Land level Prater, timber Oak, Hickory &
 Beech. Upr. Hazel & Brier brambles
 January 5. 1821

East on Prater between Sec. 5 & 8

16.52 a Brook 50th wide curve SE

20.00 into Prairie

25.50 leave "

40.00 set temp. gr. sec. post

80.59 Intersect N. S. line 40th W. S. of post -

Land level Prater, timber Oak, Beech & Hickory

West Corrected between Sec. 5 & 8

40.29th set gr. sec. post at aver. dist. from which
 a W. Oak 24 in. dis. bears S 47° E 12th W. dis. S
 a Hickory 14 " " " N 55° W 49 " "

80.59 to sec. cor.

West between Sec. 6 & 7

4.85 a W. Oak 24 in. dis.

27.40 a Brook 5th wide curve SE

40.00 set gr. sec. post from which

a W. Oak 48 in. dis. bears S 19° W 40th W. dis. S
 a Sugar 10 " " " N 22° E 38 " "

50.90 a Dr 12 " "

81.36 Intersect W. Boundary 22th W. S. of post -

set post at intersection cor. of sec. 6 & 7 from which
 a Beech 30 in. dis. bears S 68° W 39th W. dis. S
 a W. Ark 6 " " " N 32° E 13 " "
 Land rolling Prater, timber Oak, Hickory
 Beech, Ash, Sugar & Walnut.

T. 19 N., R. 8 W. 2^d Mer. Ind.
Ch. Lk.

North between Sec. 5 & 6

0.50 a Hickory 14 in. dia.

33.00 a Swamp

39.00 leave Swamp

39.75 a Brook 30 Yds. wide course S E

40.00 at gr. sec. post in Brook from which
an Elm 20 in. dia. bears N 43 E 10 Yds. dist. &
a Maple 8 " " " S 51 W 17 " "

40.10 leave Brook

44.50 a Hickory 22 in. dia.

91.87 Intersect N. Boundary 137 Yds W. of post -
at post at intersection cor. of Sec. 5 & 6 from which
a W. Oak 30 in. dia. bears N 34 E 50 Yds. dist. &
a B. Oak 24 " " " S 48 W 57 " "
Sand level 2nd rate, timber Oak, Hickory &
Beech. Wgs. Brambles. January 6, 1821

John Milroy
Dep. Surveyor.

I certify that the foregoing transcript
of Field Notes of the survey of Township N.
19 North, in Range N. 8 West of the 2nd
Principal Meridian, in the State of Ind-
iana, has been compared with the original
on file in this office, and found to be correct.
Surveyor General's Office,
Cincinnati, Aug. 21, 1844

William Johnston
Sur. Genl.